



Day 28 july

IT'S TIME FOR ACTION!!!



جامعة الإمام عبد الرحمن بن فيصل IMAM ABDULRAHMAN BIN FAISAL UNIVERSITY

المدينة الطبية الأكاديمية | IAU . AMC

مستشفى الملك فهد الجامعي King Fahd University Hospital




304 million people are living with chronic hepatitis B and C in 2022



Only 45% of babies received the hepatitis B vaccine within 24 hours of birth in 2022




1.3 million people died of chronic hepatitis B and C in 2022












Get tested if you experience the following symptoms:





World Day

Hepatitis

Viral




People who
engage in harmful
behaviors such as
sharing
contaminated
needles or
engaging in
unsafe sex

Persons aged 35 or over

> First-degree relatives with viral hepatitis B and C

Who has high liver enzymes

Frequent
exposure to blood
transfusion or a
blood product or
dialysis








World Day

Hepatitis

Viral





How to prevent transmission of hepatitis virus(B) From the infected pregnant woman to the newborn

- Appropriate treatment for pregnant women with the disease during pregnancy.
- After the birth of the newborn is given the first dose of the viral hepatitis B vaccine, and the antiviral serum in the first 12 hours of birth.
- Completing the child's doses of viral hepatitis B vaccine, according to the national vaccination schedule.






World Day

Hepatitis

Viral





Types of viral hepatitis:

Hepatitis (C)

Transmitted through blood, often asymptomatic may lead to cirrhosis of the .liver or liver cancer



Hepatitis (B)

It is transmitted by blood or other bodily fluids. It can be acute or chronic, and in some cases, may lead to cirrhosis of the liver or liver cancer.



Hepatitis (A)

It is transmitted through contaminated food or water, often healed on its own without long-term medical intervention.



